

Abstract

A method for requesting a resource from an identifier having a character image

5

10

[illegible]

15

20

25

30

	Pat. Ref.		
	6,070,167	May, 2000	Qian. et al
	701/102		
5	6,005,972	December ,1999	Fredlund, et al
	382/176		
	5,680,223	October ,1997	Cooper , et al
	358/403		
	5,764,906	June ,1998	Edelstein et, al
10	709/219		
	6,064,383	May ,2000	Skelly
	345/339		
	6,076,121	June , 2000	Levine
	710/62		
15	6,154,738	November , 2000	Call
	707/4		
	4,606,065	August ,1996	Beg , et, al
	382/170		
	5,933,525	August ,1999	Makhoul , et, al
20	382/186		
	5,889,886	March ,1999	Mahoney
	382/176		
	5,901,329	May , 1999	Kito
	710/8		
25	6,169,555	January , 2001	Yamamoto
	345/473		
	5,909,211	June ,1999	Combs , et, al
	345/172		
	4,700,378	October,1987	Brown
30	379/93.25		

	4,492,162	January ,1985	Nettesheim , et al.
	101/103		
	4,571,699	February,1986	Herzog , et al.
	358/408		
5	6,166,735	December, 2000	Dom , et al.
	345/339		
	4,682,158	July , 1987	Ito , et al.
	340/679		
	6,012,102	January, 2000	Shachar
10	710/5		
	6,122,403	September, 2000	Rhoads
	382/233		
	4,201,887	May , 1980	Burns
	379/93.17		
15	5,982,303	November, 1999	Smith
	341/22		
	6,131,095	October, 2000	Low , et al.
	707/10		
	5,869,819	February , 1999	Knowies , et al.
20	235/375		
	6,101,274	August , 2000	Pizano , et al.
	382/176		
	4,570,235	February , 1986	Kerdoncuff , et al.
	708/311		
25	5,999,525	December , 1999	Krishnaswamy , et al.
	370/352		
	6,064,383	May, 2000	Skelly
	345/339		
	6,069,622	May, 2000	Kurlander
30	345/330		